



# New Guard Coatings Group

A global reputation to protect.

The information herewith is given with the best of New Guard Coatings Group knowledge.

Rights are reserved to change and update the data without notice.

This information is not exhaustive and it is the user's responsibility to ensure that this data sheet is the most current by contacting their local New Guard Coatings Group branch prior to using the coating/product.

[www.newguardcoatings.com](http://www.newguardcoatings.com)

NORTH • SOUTH EAST • MIDLANDS • NORTH WEST • HULL • SCOTLAND



## SAFETY DATA SHEET

GUARD SOLVENT A

Page: 1

Compilation date: 24/06/2009

Revision date: 02/11/2017

Revision No: 1

Reference: A0050B

### Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**Product name:** GUARD SOLVENT A

**REACH registered number(s):** 01-2119488216-32

**CAS number:** 1330-20-7

**EINECS number:** 215-535-7

**Index number:** 601-022-00-9

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Use of substance / mixture:** Use in oil and gas field drilling and production operations. Manufacture of substance. Formulation & (re)packing of substances and mixtures. Use in cleaning agents. use of release agents and binders. Use as a fuel. Chemical Intermediate. Mining chemicals. Agrochemical uses. Laboratories. Polymer Processing. Explosive manufacture & Use. Use as a functional fluid. Road and construction applications. Lubricants and lubricant additives. Uses in coatings.

#### 1.3. Details of the supplier of the safety data sheet

**Global Head Office:** New Guard Coatings Group  
Sandbeck Way  
Wetherby  
West Yorks  
LS22 7DN  
United Kingdom



**Tel:** 01937 586311

**Email:** [uksales@newguardcoatings.com](mailto:uksales@newguardcoatings.com)

[www.newguardcoatings.com](http://www.newguardcoatings.com)

#### 1.4. Emergency telephone number

**Emergency tel:** 01423 358058 (Office Hours Only)

### Section 2: Hazards identification

#### 2.1. Classification of the substance or mixture

**Classification under CHIP:** -: R10; Xn: R20/21; Xi: R38

**Classification under CLP:** Flam. Liq. 3: H226; STOT RE 2: H373; Asp. Tox. 1: H304; Acute Tox. 4: H312; Acute Tox. 4: H332; Skin Irrit. 2: H315; Eye Irrit. 2: H319; STOT SE 3: H335

**Most important adverse effects:** Flammable. Harmful by inhalation and in contact with skin. Irritating to skin.

[cont...]

# SAFETY DATA SHEET

GUARD SOLVENT A

Page: 2

## 2.2. Label elements

### Label elements under CLP:

**Hazard statements:** H226: Flammable liquid and vapour.  
H312: Harmful in contact with skin.  
H332: Harmful if inhaled.  
H315: Causes skin irritation.  
H319: Causes serious eye irritation.  
H335: May cause respiratory irritation.  
H304: May be fatal if swallowed and enters airways.  
H373: May cause damage to organs through prolonged or repeated exposure.

**Signal words:** Danger

**Hazard pictograms:** GHS07: Exclamation mark  
GHS02: Flame  
GHS08: Health hazard



**Precautionary statements:** P210: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
P261: Avoid breathing vapours.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P301+310: IF SWALLOWED: Immediately call a POISON CENTER or doctor.  
P303+361+353: IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water/shower.  
P332+313: If skin irritation occurs: Get medical advice/attention.

### Label elements under CHIP:

**Hazard symbols:** Harmful.



**Risk phrases:** R10: Flammable.  
R20/21: Harmful by inhalation and in contact with skin.  
R38: Irritating to skin.

**Safety phrases:** S24: Avoid contact with skin.  
S36/37: Wear suitable protective clothing and gloves.  
S51: Use only in well-ventilated areas.  
S60: This material and its container must be disposed of as hazardous waste.

## 2.3. Other hazards

**Other hazards:** In use, may form flammable / explosive vapour-air mixture.

**PBT:** This substance is not identified as a PBT substance.

[cont...]

# SAFETY DATA SHEET

GUARD SOLVENT A

Page: 3

## Section 3: Composition/information on ingredients

### 3.1. Substances

**Chemical identity:** XYLENE

## Section 4: First aid measures

### 4.1. Description of first aid measures

**Skin contact:** Remove all contaminated clothes and footwear immediately unless stuck to skin.

Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Consult a doctor.

**Eye contact:** Remove any contact lenses and open eyes wide apart. Immediately flood the eye with plenty of water for at least 15 minutes, holding the eye open. Get medical attention if any discomfort continues

**Ingestion:** Do not induce vomiting. Wash out mouth with water. Get medical attention immediately.

**Inhalation:** Remove from exposure, rest and keep warm. In severe cases, or if recovery is not rapid or complete, seek medical advice.

### 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be irritation and redness. The eyes may water profusely.

**Ingestion:** There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur. There may be vomiting.

**Inhalation:** Inhalation of vapours in high concentration may cause irritation of respiratory system. Symptoms of over exposure may be headache, dizziness, tiredness, nausea and vomiting.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

### 4.3. Indication of any immediate medical attention and special treatment needed

**Immediate / special treatment:** Not applicable.

## Section 5: Fire-fighting measures

### 5.1. Extinguishing media

**Extinguishing media:** Alcohol or polymer foam. Carbon dioxide. Dry chemical powder. Use water spray to cool containers.

### 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** Flammable. In combustion emits toxic fumes. Forms explosive air-vapour mixture. The vapour is heavier than air and spreads along the ground. There is a danger of flashback if sparks or hot surfaces ignite vapour.

### 5.3. Advice for fire-fighters

**Advice for fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

[cont...]

# SAFETY DATA SHEET

GUARD SOLVENT A

Page: 4

## Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid. Eliminate all sources of ignition.

### 6.2. Environmental precautions

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

### 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Do not use equipment in clean-up procedure which may produce sparks.

### 6.4. Reference to other sections

**Reference to other sections:** Refer to section 8 of SDS.

## Section 7: Handling and storage

### 7.1. Precautions for safe handling

**Handling requirements:** Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air. Smoking is forbidden. Use non-sparking tools.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in cool, well ventilated area. Keep container tightly closed. Keep away from sources of ignition. Prevent the build up of electrostatic charge in the immediate area. Ensure lighting and electrical equipment are not a source of ignition.

**Suitable packaging:** Original container stored in a dry and cool place.

### 7.3. Specific end use(s)

**Specific end use(s):** No data available.

## Section 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Workplace exposure limits:

#### Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	220 mg/m <sup>3</sup>	441 mg/m <sup>3</sup>	-	-

[cont...]

# SAFETY DATA SHEET

GUARD SOLVENT A

Page: 5

## 8.2. Exposure controls

**Engineering measures:** Ensure lighting and electrical equipment are not a source of ignition. Provide adequate ventilation, including appropriate local extraction. In case of insufficient ventilation, where exposure to high concentrations of vapour is possible, suitable respiratory protective equipment with positive air supply should be used.

**Respiratory protection:** Self-contained breathing apparatus must be available in case of emergency.

**Hand protection:** Impermeable gloves, change regularly to avoid permeation problems.

**Eye protection:** Safety goggles. Ensure eye bath is to hand.

**Skin protection:** Wear appropriate clothing to prevent any possibility of skin contact.

## Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

**State:** Liquid

**Colour:** Colourless

**Odour:** Aromatic

**Evaporation rate:** Slow

**Oxidising:** Non-oxidising (by EC criteria)

**Solubility in water:** Insoluble

**Also soluble in:** Most organic solvents.

**Viscosity:** Non-viscous

**Boiling point/range°C:** 136-143

**Melting point/range°C:** <-80

**Flammability limits %: lower:** 1.0

**upper:** 7.0

**Flash point°C:** 23 - 55

**Part. coeff. n-octanol/water:** 3.2

**Autoflammability°C:** >432

**Vapour pressure:** 7.0 mm Hg

**Relative density:** 0.860

### 9.2. Other information

**Other information:** Not applicable.

## Section 10: Stability and reactivity

### 10.1. Reactivity

**Reactivity:** Stable under recommended transport or storage conditions.

### 10.2. Chemical stability

**Chemical stability:** Stable under normal conditions. Stable at room temperature.

### 10.3. Possibility of hazardous reactions

**Hazardous reactions:** Hazardous reactions will not occur under normal transport or storage conditions. Decomposition may occur on exposure to conditions or materials listed below.

[cont...]

# SAFETY DATA SHEET

GUARD SOLVENT A

Page: 6

## 10.4. Conditions to avoid

**Conditions to avoid:** Heat. Hot surfaces. Sources of ignition. Flames.

## 10.5. Incompatible materials

**Materials to avoid:** Strong oxidising agents. Strong acids.

## 10.6. Hazardous decomposition products

**Haz. decomp. products:** Toxic gases/vapours/fumes of, Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Hydrocarbons.

## Section 11: Toxicological information

### 11.1. Information on toxicological effects

#### Relevant hazards for substance:

Hazard	Route	Basis
Acute toxicity (ac. tox. 4)	INH DRM	Based on test data
Skin corrosion/irritation	DRM	Based on test data
Serious eye damage/irritation	OPT	Based on test data
STOT-single exposure	INH	Based on test data
STOT-repeated exposure	-	Based on test data
Aspiration hazard	-	Based on test data

### Symptoms / routes of exposure

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be irritation and redness. The eyes may water profusely.

**Ingestion:** There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur. There may be vomiting.

**Inhalation:** Inhalation of vapours in high concentration may cause irritation of respiratory system. Symptoms of over exposure may be headache, dizziness, tiredness, nausea and vomiting.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

## Section 12: Ecological information

### 12.1. Toxicity

**Ecotoxicity values:** Not applicable.

### 12.2. Persistence and degradability

**Persistence and degradability:** Biodegradable.

### 12.3. Bioaccumulative potential

**Bioaccumulative potential:** No bioaccumulation potential.

[cont...]

# SAFETY DATA SHEET

GUARD SOLVENT A

Page: 7

## 12.4. Mobility in soil

**Mobility:** Readily absorbed into soil.

## 12.5. Results of PBT and vPvB assessment

**PBT identification:** This substance is not identified as a PBT substance.

## 12.6. Other adverse effects

**Other adverse effects:** Negligible ecotoxicity.

## Section 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

## Section 14: Transport information

### 14.1. UN number

**UN number:** UN1307

### 14.2. UN proper shipping name

**Shipping name:** XYLENES

### 14.3. Transport hazard class(es)

**Transport class:** 3

### 14.4. Packing group

**Packing group:** III

### 14.5. Environmental hazards

**Environmentally hazardous:** No

**Marine pollutant:** No

### 14.6. Special precautions for user

**Special precautions:** No special precautions.

**Tunnel code:** D/E

**Transport category:** 3

## Section 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.2. Chemical Safety Assessment

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

[cont...]



# SAFETY DATA SHEET

GUARD SOLVENT A

Page: 8

## Section 16: Other information

### Other information

**Other information:** This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

\* indicates text in the SDS which has changed since the last revision.

**Phrases used in s.2 and 3:** H226: Flammable liquid and vapour.  
H304: May be fatal if swallowed and enters airways.  
H312: Harmful in contact with skin.  
H315: Causes skin irritation.  
H319: Causes serious eye irritation.  
H332: Harmful if inhaled.  
H335: May cause respiratory irritation.  
H373: May cause damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.  
R10: Flammable.  
R20/21: Harmful by inhalation and in contact with skin.  
R38: Irritating to skin.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

