



New Guard Coatings Group

A global reputation to protect.

The information herewith is given with the best of New Guard Coatings Group knowledge.

Rights are reserved to change and update the data without notice.

This information is not exhaustive and it is the user's responsibility to ensure that this data sheet is the most current by contacting their local New Guard Coatings Group branch prior to using the coating/product.

www.newguardcoatings.com

NORTH • SOUTH EAST • MIDLANDS • NORTH WEST • HULL • SCOTLAND

MAPEFLOOR MAINTENANCE KIT

Kit for the maintenance and cleaning of the floors



WHERE TO USE

Mapefloor Maintenance Kit contains products which are essential for carrying out periodic maintenance and cleaning operations of the floors, to guarantee their performance characteristics and attractive appearance.

Some application examples

- Maintenance of resin floors made using **Mapefloor System** inside environments for civil, public and industrial use.
- Maintenance of protective films on decorative floors made using **Ultratop**, including those mixed with **Dynastone Color** or natural aggregates, in environments for civil use such as showrooms, shops and apartments.

TECHNICAL CHARACTERISTICS

Mapefloor Maintenance Kit includes the following:

- **Mapelux Lucida** high-resistance, cross bond metallic wax for protecting floors subject to particularly intense traffic.
- **Mapefloor Wax Remover** multi-action, low-foaming wax-removal detergent for the removal of old wax films, including the cross bond metallic type, such as **Mapelux**.
- **Mapefloor Cleaner ED** concentrated, water-soluble, low-foaming detergent, for routine cleaning operations.

How to use

Please refer to the relative Technical Data Sheet for individual products.

PACKAGING

Mapefloor Maintenance Kit is available in 20 kg kits with the following products:

- N° 2: 5 kg cans of **Mapefloor Cleaner ED**
- N° 1: 5 kg can of **Mapefloor Wax Remover**
- N° 1: 5 kg can of **Mapelux Lucida**

STORAGE

Mapefloor Maintenance Kit can be stored for 12 months in its original packaging at a temperature between +10°C and +30°C. Protect from frost.

SAFETY INSTRUCTIONS FOR PREPARATION AND APPLICATION

Mapelux Lucida and **Mapefloor Cleaner ED**, which are contained in the **Mapefloor Maintenance Kit**, are not considered hazardous according to current norms and guidelines regarding the classification of mixtures.

Mapefloor Wax Remover is corrosive and hazardous if inhaled, swallowed or if it comes into contact with the skin. When applying the product, we recommend using protective clothing, gloves, safety goggles, a safety mask to protect the respiratory system and to work only in well-ventilated areas. If the product comes into contact with the eyes or skin, wash immediately with plenty of clean water and seek medical attention.

For further and complete information about a safe use of our product please refer to our latest version of the Material Safety Data Sheet.

PRODUCT FOR PROFESSIONAL USE.

TECHNICAL DATA (typical values)

Please refer to the relevant Technical Data Sheet for individual products (Mapefloor Cleaner ED, Mapefloor Wax Remover and Mapelux Lucida) contained in the kit

WARNING

Although the technical details and recommendations contained in this product data sheet correspond to the best of our knowledge and experience, all the above information must, in every case, be taken as merely indicative and subject to confirmation after long-term practical application; for this reason, anyone who intends to use the product must ensure beforehand that it is suitable for the envisaged application. In every case, the user alone is fully responsible for any consequences deriving from the use of the product.

Please refer to the current version of the Technical Data Sheet, available from our website www.mapei.com

2068-5-2013 en (IT)

Any reproduction of texts, photos and illustrations published here is prohibited and subject to prosecution

